


SUZUKI

GSX-S 1000 Katana my 19/20

product	code	description
Monoshock (R-L-P)	MS142.1KD	M46KD std
Monoshock (R-L-P)	MS142.1KDID	M46KD+ID hydraulic spring preload
Monoshock (C-R-L-P)	MS142.21K	M46K std
Monoshock (C-R-L-HP)	MS142.21ID	M46K+ID hydraulic spring preload
Monoshock (CH-CL-R-L-HP)	MS142.21R	M46R Racing (ID preload unit)
Fork kit (fork type Kayaba)	FS142KS	FKS Spring kit
Fork kit (fork type Kayaba)	FS142RK	FRK Hydraulic kit
Fork kit (C-R-P) (fork type Kayaba)	F20S142K	F20K "quad valve" Hydraulic Cartridge kit
Fork kit (C-R-P) (fork type Kayaba)	F25S142R	F25R "classic" Hydraulic Cartridge kit
Fork kit (C-R-P) (fork type Kayaba)	F25S142SA	F25SA "sealed" Hydraulic Cartridge kit



CH = HighSpeed Comp. adj. / regolazione Compres. AV
 CL = LowSpeed Comp. adj. / regolazione Compres. BV
 C = Compression adj. / regolazione Compressione
 R = Rrebound adj. / regolazione estensione
 L = Length adj. / regolazione Interasse
 P = spring Preload by ring / precarico molla standard
 HP = hydraulic spring Preload / Precarico molla idraulico



SUZUKI GSX-S 1000 Katana my 19/20

Sealed asymmetric system



Rebound unit
(range: 38 clicks)



Preload unit
(range: 15 mm)

Compression unit
(range: 38 clicks)

F25SA fork kit

Classic symmetric system



Rebound unit
(range: 38 clicks)

Preload unit
(range: 15 mm)



Compression unit
(range: 38 clicks)

F25R fork kit



Quad-valve asymmetric system



Compression unit
(range: 38 clicks)




Preload unit
(range: 15 mm)

Rebound unit
(range: 38 clicks)

F20K fork kit



FRK fork kit



FKS fork kit